

DECORATIVE SURFACES

Good materials. Beautiful possibilities.

Laminate and coordinated material solutions



LIGHT OAK / LO0302-60

Flexible laminate. Considered details. A palette for everyday interiors.

WHY YOUNG LAMINATE

Made for the whole idea.

Korean decorative laminate, with matching products that help carry a design from the main surface to its finishing details.

01

Designed for curves

A flexible rolled format for flat and curved applications. The radius, substrate and bonding method determine the final result.

02

Long, continuous lengths

Rolls and practical cut lengths give carpenters options for taller features and longer surfaces, with fewer planned joins.

03

A cleaner edge detail

The RVL construction has no dark phenolic paper core. Combine careful trimming and matching edging for a coordinated finish.

04

One coordinated palette

Bring together laminate, laminated plywood, edging and fluted panels. Confirm availability for each product and decor.

Start with a physical sample.

Choose the decor, then confirm the thickness, substrate, application method and quantity for your project.

INTERIOR LAMINATE

Choose your roll.

Resin Vinyl Laminate (RVL) is a PVC-based decorative surface supplied in rolls. It is bonded to a suitable prepared substrate using a separate adhesive.

0.30 mm

INTERIOR LAMINATE

150 metres / full roll

1,250 mm nominal width

0.60 mm

INTERIOR LAMINATE

50 metres / full roll

1,250 mm nominal width

Buy the length your project needs.

Cut lengths	5 m / 10 m / 20 m
--------------------	-------------------

Decor collection	24 finishes: 18 woodgrains + 6 solids
-------------------------	---------------------------------------

Adhesive	Separate adhesive required
-----------------	----------------------------

Before ordering	Confirm finish, thickness and quantity
------------------------	--

Allow for grain direction, trimming and joins when estimating material. Discuss tight curves and production methods with your installer before selecting thickness.

DOOR MANUFACTURERS

A coordinated door finish.

0.17 mm door laminate brings the decor collection into door production, with matching edging available to complete the specification.



LIGHT OAK / LO0302-60



WALNUT / WN4909-60


Door laminate	0.17 mm
Full roll	300 metres
Decor range	All 24 laminate decors
Matching edging	42 mm; quoted separately

Share your door dimensions, substrate, roll quantity and production schedule so we can prepare the right quotation.

COORDINATED PRODUCTS

Complete the palette.

Continue the same material story across faces, edges and architectural details.



Laminated plywood

A coordinated board option for fabrication. Ask us to confirm substrate thickness, sheet size, face configuration and decor availability.



Matching edging

Carry the selected decor around exposed board edges. For door laminate, matching 42 mm edging is available and quoted separately.

One enquiry, a coordinated selection.

Tell us which parts of your project need laminate, boards, edging or fluted panels.

FLUTED PANELS

Texture with a clear profile.

Two constructions, with four strips per piece and an offset backing designed for joining adjacent panels.

PLYWOOD FLUTED PANEL



SOLID WOOD FLUTED PANEL



8-foot plywood

Plywood strips on a plywood backing

10-foot solid wood

Solid wood strips on a plywood backing

Available fluted decors



HC6201-60



MC3528-60



NO6819-60



SC6120-60



WN4909-60



WZ6815-8



MW0104-60



LO0302-60



KW8423-8

Confirm decor availability and panel requirements when ordering.

FLUTED PANEL DIMENSIONS

Specify the detail.

Cross-sections below are schematic. Dimensions describe the strip and backing; confirm the finished panel width and joining allowance before installation.

8-foot plywood

27 mm strip**11 mm gap**

12 mm strip depth + 2.5 mm backing

TOTAL PROFILE DEPTH / 14.5 mm

10-foot solid wood

20 mm strip**21 mm gap**

20 mm strip depth + 3.6 mm backing

TOTAL PROFILE DEPTH / 23.6 mm

Joining detail: the backing is offset at the sides so neighbouring pieces can overlap. Plan the joint and fixings with your installer. Drawings are not to scale.

DECOR LIBRARY

Wood / lighter tones


A bright starting point for cabinetry, feature walls and coordinated interiors.

**Hermes Cherry**

HC6201-60

**Mesmerizing Cherry**


MC3528-60

**Sonata Cherry**


SC6120-60

**Kapurri Alder**

KA6024-60

**Light Oak**

LO0302-60

**VO9703**

VO9703-4A

Digital swatches are indicative. Some are illustrations based on sample photographs. Always confirm colour and texture with a physical sample.

DECOR LIBRARY

Wood / middle tones

Natural warmth, varied grain and balanced depth.

**SW7611**


SW7611-4A

**Kaviar Wood**


KW8423-8

**Nagano Oak**


NO6819-60

**ST6409**

ST6409-4A

**IC8701**

IC8701-4A

**Wallis Plum**


WP6816-60

Digital swatches are indicative. Some are illustrations based on sample photographs. Always confirm colour and texture with a physical sample.


DECOR LIBRARY

Wood / deeper tones

Rich grain and darker accents to give a space definition.

**Walnut**


WN4909-60

**Virginia Walnut**

VW4731-60

**Wallis Zed**


WZ6815-8

**Mousse Walnut**

MW0104-60

**Wenge**

W6020-60

**Jutland Maple**

JM6820-4A

Digital swatches are indicative. Some are illustrations based on sample photographs. Always confirm colour and texture with a physical sample.

DECOR LIBRARY

Solids / quiet foundations


Three white textures, off-white, grey and matte black.

**White / Plain**


WT4037-4A

**White / Leather**

WT4037-55

**White / Hairline**

WT4037-22

**Off White**

GY1703-4A

**Gray**

GY1880-4A

**Matte Black**

BK0211-9

Digital swatches are indicative. Some are illustrations based on sample photographs. Always confirm colour and texture with a physical sample.

MATERIALS IN USE

Warmth, carried through.

Molek Regency, Johor Bahru / Light Oak, LO0302-60



Light Oak connects the living space, built-in cabinetry and rounded details in this residence.

MATERIALS BY

Young Laminate

Project photographs show real applications. Confirm the final colour and texture using a physical sample.

COMMERCIAL APPLICATIONS

A consistent material story.

From retail fixtures to reception walls, a coordinated surface gives the details a common language.



The Food Merchant

Pavilion Damansara Heights / Light Oak, LO0302-60

Display fixtures, shelving surrounds and curved details.



RHB Premier

Kaviar Wood / KW8423-8

10-foot solid wood fluted panels connect the reception and lounge with a repeated vertical detail.

QUESTIONS & ANSWERS

Before you choose.

The practical answers customers ask for most often.

01 Is this the same as HPL?

No. RVL is a flexible PVC-based decorative laminate supplied in rolls. HPL has a different construction and handling method. Choose the material to suit the application.

02 Can I use it on a curved surface?

Yes, with a suitable radius, substrate and bonding method. Tight bends require a trial; do not assume one bend radius works for every thickness or installation.

03 Is it self-adhesive?

No. It needs a separately applied compatible adhesive and a properly prepared substrate.

04 Can I order a shorter length?

Interior laminate is available in 5 m, 10 m and 20 m cuts. Full rolls are 50 m for 0.60 mm and 150 m for 0.30 mm.

05 Will the colour match my screen?

Screens, lighting and printing affect appearance. Some digital swatches are illustrations based on sample photos. Confirm the decor code, colour and texture with a physical sample.

APPLICATION & CARE

A good finish starts beneath.

Prepare carefully, use a compatible bonding system and protect the completed surface.

01 Prepare the substrate

Use a smooth, clean, dry, stable surface. Surface defects can show through thin laminate. Trial the substrate and adhesive combination before full fabrication.

02 Choose the adhesive

EVA white glue is recommended, allowing about one day before further work. A suitable PU HPL glue offers faster initial bonding. Follow the adhesive maker's coverage, pressing and curing instructions.

03 Protect from water and heat

A water-resistant laminate surface does not make the whole assembly waterproof. Protect joints, edges and the substrate. Avoid direct heat and hot cookware; use suitable protection.

04 Care and storage

Clean gently with a soft cloth and mild cleaner, then wipe dry. Avoid abrasive pads and strong solvents. Store rolls protected from direct sun, excessive heat and impact.

05 Need a project specification?

Send the intended use, substrate and any required performance standard. Ask for current product-specific documentation before relying on a fire, emission or other test classification.

LET'S BUILD YOUR PALETTE

Start with the right details.

Send us your material list or project requirements. We will help confirm the finish, format, availability and quotation.

01 / Finish

Decor name + complete code

02 / Product

Laminate, board, edging or fluted panel

03 / Specification

Thickness, length or panel type

04 / Quantity

Cuts, rolls, boards or pieces


05 / Delivery

Location + required date

Young Laminate

WhatsApp / +60 16-777 7016**younglaminate@gmail.com****younglaminate.com**

#02-03 Pangsapuri Molek Pulai
Jalan Persiaran Molek, Taman Molek
81100 Johor Bahru, Johor



Scan to enquire

Collection information: October 2026. Availability and specifications are subject to confirmation. Dimensions are nominal. Project images illustrate supplied materials; interior design is credited to the respective project teams. Physical samples take precedence over screen and print appearance.